

SUPPLEMENT TO

The Gazette



of India

No. 30]

NEW DELHI, SATURDAY, OCTOBER 23, 1950

OFFICIAL PAPERS

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 23rd September, 1950

		CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE	
		C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.
STATES PART (A) & PART (C)								Bihar—contd.							
Ajmer (Urban)								Ranchi		10	5	9	2
TOTAL								Manbhum		84	33
(Estd. mid-year pop. 240 thousands)								Palmau		3
Total for w/e 10-9-50.								Singhbhum		4	4
Total for w/e 9-9-50.								TOTAL		686	292	55	23
7-yearly mean for the week.								(Estd. mid-year pop. 37,690 thousands).							
								Total for w/e 10-9-50.		588	271	45	12
								Total for w/e 9-9-50		1,200	591	88	36
								7-yearly mean for the week		754	392	28	7	2	1
Assam								Bombay							
Oachar	1	Bombay		1	1
Khasi and Jaintia Hills	Ahmedabad	
Naga Hills	Kolra	
Goalpara	..	5	2	Broach		3	1
Kamrup	..	19	6	Panch Mahals	
Darrang	Surat		10	8
Nowgong	Thana		4
Sibsagar	Bombay Suburban	
Lakhimpur	Ahmednagar		15	8	10	1
Sadiya & Frontier Tracts	East Khandesh		33	14
Garo Hills	West Khandesh		19	8	5	1
TOTAL	24	8	1	Amreli	
(Estd. mid-year pop. 7,611 thousands)								Nasik		2	2
Total for w/e 10-9-50	30	19	Poona		6	3	15	1	4	1
Total for w/e 9-9-50	106	42	7	1	Satara North		42	18	10	4
7-yearly mean for the week	18	10	13	5	Satara South		88	31	1
Bhopal								Sholapur		19	13
TOTAL	25	13	Sabarkantha	
(Estd. mid-year pop. 831 thousands)								Belgaum		16	5	..	1	2	..
Total for w/e 10-9-50	6	4	Bijapur		38	18
Total for w/e 9-9-50	Dharwar		2
7-yearly mean for the week	10	6	Kanara	
Bihar								Ratnagiri	
Patna	81	35	6	4	Kolaba		4
Gaya	Kolhapur	
Shahabad	9	5	6	0	Baroda		1	1
Saran	30	8	Navasari	
Champanan	21	12	10	2	Dangs	
Muzaffarpur	19	11	Malwan	
Darbhanga	70	32	Mehsana		2	2
Monghyr	44	32	TOTAL		291	129	59	12	6	1
Bhagalpur	98	18	1	(Estd. mid-year pop. 26,071 thousands)							
Saharsa	13	3	Total for w/e 10-9-50		242	95	51	7	4	..
Purnea	37	24	1	Total for w/e 9-9-50		200	91	54	4	4	2
Santal Parganas	141	62	17	7	7-yearly mean for the week		179	67	52	9	122	42
Hazaribagh	25	13	2	2								

Explanation of the symbols used :— C.—Cases ; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 23rd September, 1950—*contd.*

	CHOLERA		SMALLPOX		PLAGUE			CHOLERA		SMALLPOX		PLAGUE	
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.
Punjab (I)							Uttar Pradesh—contd.						
Hissar	Kheri	7	3
Rohtak	Faizabad
Gurgaon	Gonda
Karnal	Bahraich	7	3
Ambala	Sultanpur
Simla	Partabgarh
Kangra	Bara Banki	8	3
Hoshiarpur	Rampur
Jullundur	TOTAL	70	33	7	6	32	13
Ludhiana	(Estd. mid-year pop.						
Derogapur	59,132 thousands)						
Amritsar	Total for w/e 16-9-50	93	63	23	7	18	13
Gurdaspur	Total for w/e 9-9-50	85	42	20	5	34	14
TOTAL	7-yearly mean for						
Estd. mid-year pop.							the week	1,165	641	9	3	15	9
14,690 thousands)													
Total for w/e 16-9-50	1	1	2	1	West Bengal						
Total for w/c 9-9-50	Burdwan	4	2	4	3
7-yearly mean for							Birbhum	6	4
the week.	20	14	1	Bankura	32	15	1	1
Uttar Pradesh							Midnapur	32	14	2
Dehra Dun	Hooghly	1	1	11	7
Maharajpur	Howrah	6	5	7	5
Muzaffarnagar	24 Parganas	29	11	2	4
Meerut	Calcutta	30	9	27	24
Mulandshahr	Nadia	7	2	4	3
Aligarh	Murshidabad	5	2
Mathura	Malda	4	1
Agra	West Dinajpur	2
Mainpuri	Jalpaiguri	16	14	2	1
Etah	Darjeeling	13	3
Bareilly	Cooch Behar
Bijnore	10	6	Chandernagore
Budaun	TOTAL	163	77	84	54
Moradabad	(Estd. mid-year pop.						
Shahjahanpur	22,669 thousands)						
Pilibhit	4	Total for w/e 16-9-50	110	46	115	70
Farrukhabad	Total for w/e 9-9-50	133	47	138	64
Etah	7-yearly mean for the						
Kanpur	week	142	70	18	8
Fatehpur	Grand total for						
Allahabad	States Parts						
Jhansi	(A) & (C)	3,236	1,508	831	217	360	54
Jalaun	(Estd. mid-year pop.						
Hamirpur	250,175 thousands)						
Banda	7	2	Total for w/e 16-9-50	3,189	1,450	971	248	167	36
Banaras	1	1	1	..	Total for w/e 9-9-50	3,295	1,563	935	249	201	56
Mirzapur	7-yearly mean for the						
Jaunpur	1	week	4,238	2,256	483	101	325	143
Shazipur	6	8	1	5	STATES PART (B)						
Ballia	7	5	Hyderabad						
Gorakhpur	13	4	8	4	Nanded	11	6
Deoria	11	5	9	4	Bhir	11	3	5	4
Basti	1	1	Raichur	75	38
Azamgarh	4	1	2	2	Bidar	20	3
Nainital	Osmanabad	9	..
Almora	Warangal	28	10	1	..	1	1
Gharwal	Adilabad	2	..	2
Lucknow	Nizamabad	33	14
Unao	Medak	7	5	6	..
Rae Bareilly	Nalgonda	9	7	4	2
Sitapur	Mahbubnagar	11	4
Hardoi	Hyderabad	2	..	8	3
							TOTAL	184	91	9	2	49	12

Explanation of the symbols used: C.—Cases; D.—Deaths

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 23rd September, 1950—concl'd.

CHOLERA				SMALLPOX				PLAGUE				CHOLERA			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Jammu and Kashmir								Vindhya Pradesh							
Return not received.								Shahdol	16	..
Madhya Bharat								Sidhi . . .	4	2
Rajgarh . . .	4	5	Tikamgarh	2
Shajapur	1	TOTAL . . .	4	2	2	..	16
TOTAL . . .	4	6	Grand total for States Part (B) .	212	108	56	13	113	40	..
Mysore								Grand total for States Parts (A), (B) & (C) . . .	3,448	1,614	887	230	473	94	..
Bangalore	3	1	2	TYPHUS							
Chikmagalur	9	1	The following cases of typhus were reported during the week.							
Kolar	7	1	Himachal Pradesh							
Mandya . . .	7	4	4	1	Sirmur	13	..	1
Mysore	5	1	34	19	..	Mahasu	1
Shimoga	12	9	..	TOTAL	14	..	1
TOTAL . . .	7	4	28	5	48	28	..	ARREAR INFORMATION							
PEPSU								West Bengal							
Barnala	2	(w/e 16-9-50)							
Patiala	4	2	Burdwan . . .	7	4	10	1
Fatehgarh	3	2	Birbhum . . .	4	3	3
TOTAL	9	4	Bankura . . .	7	2	5	1
Rajasthan								Midnapur . . .	23	11	17	6
Bikaner	Hooghly . . .	13	7	13	2
Former Rajasthan . . .	13	3	Howrah . . .	4	1	12	9
Jodhpur	24-Parganas . . .	4	1	34	6
Jaipur	Calcutta . . .	20	8	45	39
TOTAL . . .	13	3	Nadja . . .	13	5	5	6
Saurashtra								Murshidabad . . .	5	3
Zalavad	2	Jalpaiguri
Halal	1	Darjeeling
Sorath	4	Malda . . .	1	1	1
TOTAL	7	TOTAL . . .	110	46	145	70
Travancore-Cochin								Madhya Bharat							
TOTAL	1	2	(w/e 16-9-50)							
								Bhilsa	9	4
								Dhar . . .	14	8
								Morena . . .	12	9
								Mandsaur . . .	2	2
								Rajgarh . . .	22	10
								Shajapur . . .	11	5
								TOTAL . . .	61	43	9	4

Explanation of the symbols used:—C.—Cases; D.—Deaths.

Incidence of Poliomyelitis

For some times past information has been received about the cases of poliomyelitis treated in hospitals in important towns. The available information since the beginning of the year 1950 is shown below.

State	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.
Assam	—	1	—	—	—	—	—	—	—
Bombay city	1	11	6	4	1	6	20	24	—
Other towns in Bombay State	18	10	2	1	2	1	6	10	—
Delhi	7	6	5	12	11	13	9	12	6
Madhya Pradesh	3	1	4	—	..	—	1	2	—
Madras	30	33	26	60	69	42	42	—	—
Punjab (I)	8	6	12	7	19	16	4	16	—
U. P.	13	11	6	9	—	—	—	—	—

NEW DELHI 3 (INDIA);
The 16th October, 1950.

S. P. JAIN
for Registrar General, India.

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 30th September, 1950

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C. D. C. D. C. D.							C. D. C. D. C. D.						
STATES PARTS (A) & (C)							Bombay						
Ajmer—(Urban)							Bombay						
TOTAL	—	..	Ahmedabad	2	1
(Estd. mid-year pop. 240 thousands)							Kaira
Total for w/e 23-9-50	Broach
Total for w/e 16-9-50	Panch Mahals
7-yearly mean for the week	Surat	28	11
							Thana
Assam							Bombay-Suburban
Chachar	1	Ahmednagar	15	5	17
Khasi & Jaintia Hills	East Khandesh	12	7
Naga Hills	West Khandesh	22	5	3
Goalpara	12	1	5	Amreli
Kamrup	11	8	Nasik	2	..	13	4
Darrang	2	2	Poona	18	1	4	1	..	1
Nowgong	Satara North	152	57
Sibsagar	Satara South	124	40
Lakhimpur	Sholapur	27	13	3	..	2	..
Sadiya & Frontier Tracts	Sabarkanta
Garo Hills	Belgaum	1
TOTAL	25	11	5	1	Bijapur	20	10
(Estd. mid-year pop. 7,611 thousands)							Dharwar	3	1
Total for w/e 23-9-50	24	8	1	Kanara
Total for w/e 16-9-50	30	19	Ratnagiri
7-yearly mean for the week	18	11	9	4	Kolaba
							Kolhapur
Bhopal							Baroda
TOTAL	9	3	Navsari
(Estd. mid-year pop. 831 thousands)							Dangs
Total for w/e 23-9-50	25	13	Malwan
Total for w/e 16-9-50	6	4	Mehsana
7-yearly mean for the week	11	6	TOTAL	425	151	40	5	2	2
							(Estd. mid-year pop. 26,071 thousands)						
Bihar							Total for w/e 23-9-50	291	129	59	12	6	1
Patna	37	15	Total for w/e 16-9-50	242	95	51	7	4	..
Gaya	1	1	7-yearly mean for the week	167	60	47	9	128	46
Shahabad	25	14	1							
Arran	4	3	Coorg						
Champaran	10	5	8	2	TOTAL
Muzaffarpur	31	18	(Estd. mid-year pop. 173 thousands)						
Darbhanga	9	7	Total for w/e 23-9-50
Monghyr	49	40	Total for w/e 16-9-50
Bhagalpur	29	16	7-yearly mean for the week	1
Saharsa	14	4							
Purnea	12	10	Delhi						
Santal Parganas	83	25	1	Delhi City
Hazaribagh	73	24	5	New Delhi
Ranchi	20	7	Delhi Notified Area
Manbhum	15	9	New Delhi Cantt.
Palamau	21	10	10	4	West Delhi N. A. C.
Singhbhum	15	4	4	2	Rural Circles
TOTAL	447	217	30	9	TOTAL
(Estd. mid-year pop. 37,690 thousands)							(Estd. mid-year pop. 1,274 thousands)						
Total for w/e 23-9-50	686	292	55	23	Total for w/e 23-9-50
Total for w/e 16-9-50	588	271	45	12	Total for w/e 16-9-50	3	2
7-yearly mean for the week	676	352	20	8	3	2	7-yearly mean for the week	1

Explanation of symbols as d.— C=Cases : D=Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 30th September, 1950—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.		
Himachal Pradesh								Madras—contd.							
Return not received.								Nilgiris							
Madhya Pradesh								Malabar							
Nagpur	28	14	11	South Kanara							
Wardha	2	2	12	1	Total							
Chanda	36	14	1	1,787	757	576	143
Chhindwara	(Estd. mid-year pop. 52,929 thousands)							
Betul	Total for w/e 23-9-50.							
Bhandara	32	16	121	4	..	1,554	718	501	98
Jabalpur	1	..	41	11	..	Total for w/e 16-9-50.							
Sagar	9	1,640	725	608	137
Mandla	1	..	8	..	23	4	..	7-yearly mean for the week							
Hoshangabad	12	1	10	2	..	414	211	236	45	68	35
Nimar	Manipur							
Balaghat	45	22	TOTAL							
Raipur	1	11	4
Bilaspur	(Estd. mid-year pop. 567 thousands)							
Durg	Total for w/e 23-9-50							
Bastar	3	1
Surguja	Total for w/e 16-9-50							
Raigarh	4	1
Amravati	35	23	Orissa							
Yeotmal	1	1	Outback							
Akola	29	12	12	6	6	2
Buldana	22	9	4	1	Balasore							
TOTAL								Puri							
(Estd. mid-year pop. 17,666 thousands)								Sambalpur							
Total for w/e 23-9-50	409	227	39	7	322	40	..	Khondmals							
Total for w/e 16-9-50	461	219	25	3	145	23	..	Ganjam Plains							
7-yearly mean for the week	454	226	26	3	41	7	..	Ganjam Agency							
Madras								Koraput							
Visakhapatnam	1	1	Keonjhar							
Chittoor	10	1	Dhenkanal							
East Godavari	4	1	2	1	Bolangir Patna							
West Godavari	12	1	Sundergarh							
Krishna	2	2	4	2	Kalahandi							
Guntur	2	1	68	8	Angul							
Nellore	2	2	11	Mayurbhanj							
Cuddapah	299	132	66	14	TOTAL							
Kurnool	100	50	3	14	6	116	29
Bellary	41	16	(Estd. mid-year pop 7,697 thousands)							
Anantapur	67	24	6	2	Total for w/e 23-9-50							
Madras	149	28	22	6	11	5	58	17
Chingleput	51	25	24	8	Total for w/e 16-9-50							
Chittoor	51	21	39	3	5	4	72	11
North Arcot	140	64	32	6	7-yearly mean for the week							
Salem	66	37	25	14	60	17	31	6
Coimbatore	136	57	12	5	Punjab (I)							
South Arcot	107	51	55	16	Hissar							
Tanjore	105	62	24	3	Rohtak							
Tiruchirapalli	1	1	23	2	Gurgaon							
Mathurai	261	82	70	23	Karnal							
Ramnad	187	82	46	17	Ambala							
Tirunelveli	10	12	0	3	Simla							
								Kangra							
								Hoshiarpur							
								Jullundur							
								Ludhiana							
								Ferozepore							
								Amritsar							
								Gurdaspur							
								TOTAL							
								(Estd. mid-year pop 14,690 thousands)							
								Total for w/e 23-9-50							
								Total for w/e 16-9-50							
								7-yearly mean for the week							
								1	1	2	1
								16	9	1	1

Explanation of symbols used :—C=Cases ; D=Deaths

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 30th September, 1950--*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C	D	C	D	C	D		C	D	C	D	C	D	
Uttar Pradesh							West Bengal						
Dehra Dun	Burdwan	1	..	1
Saharanpur	Birbhum	2	1
Muzaffarnagar	Bankura	1
Meerut	Midnapur	0	8	40	13
Bulandshahr	Hooghly	13	5
Aligarh	Howrah	6	1	12	7
Mathura	24 Parganae	2	2
Agra	Calcutta	25	8	38	24
Mainpuri	Nadia	13	5
Etah	Murshidabad	4	3
Bareilly	4	1	Malda	2	1	34	4
Bijnor	..	5	West Dinajpur	1
Budaun	Jalpaiguri	23	17	4
Moradabad	Darjeeling	5
Shahjahanpur	Cooch Behar
Pilibhit	Chandernagore
Farrukhabad	1	1	Total	74	41	160	60
Etawah	(Estd. mid-year pop. 22,669 thousands)						
Kanpur	3	2	Total for w/e						
Fatehpur	1	23-9-50	163	77	84	51
Allahabad	Total for w/e						
Jhansi	16-9-50	110	46	145	70
Jalaun	7-yearly mean for						
Hamirpur	the week	148	71	12	6
Banda	6	2	Grand total for States						
Banaras	1	1	parts (A) and (C)	3,075	1,321	974	251	236	31
Mirzapur	(Estd. mid-year pop. 250,175 thousands).						
Jaunpur	3	Total for w/e 23-9-50	3,236	1,508	831	217	360	54
Ghazipur	Total for w/e 16-9-50	3,189	1,450	971	248	167	36
Ballia	4	3	7-yearly mean for the						
Gorakhpur	11	3	4	2	week	3,776	2,015	453	96	340	140
Deoria	11	2	1	1	STATES—PART (B)						
Basti	4	..	2	..	Hyderabad						
Azamgarh	2	..	Nanded	25	4
Nainital	Bhir	17	5	14	12
Almora	Gulberga	1
Garhwal	Raichur	109	51
Ludhiana	Bidar	6	..
Uttaranchal	Osmanabad	17	5
Rae Bareilly	Warangal	21	7	1	1	5	1
Sitapur	Adilabad	9	2
Hardoi	Nizamabad	39	21	6	2
* Kheri	15	2	Medak	24	10	6	..
Faizabad	Nalgonda	3	1	3
Gonda	Mahbubnagar	3	1
Bahraich	1	Hyderabad	13	2
Sultanpur	Total	268	107	4	1	50	17
Partabgarh							
Bara Banki	5	2							
Rampur							
Total	52	18	8	1	19	8							
(Estd. mid-year pop. 59,132 thousands).													
Total for w/e 23-9-50	70	38	7	6	32	13							
Total for w/e 16-9-50	99	63	23	7	18	13							
7-yearly mean for the week	987	559	9	2	13	9							

Explanation of symbols used :—C=Cases ; D=Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 30th September, 1950.—*concl'd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C		D		C		D		C		D		C		D	
Jammu & Kashmir								Saurashtra							
Return not received.								Total							
Madhya Bharat								Travancore-Cochin							
Total								Total							
Mysore								Vindhya Pradesh							
Bangalore								Shahdol							
Kolar								Datia							
Mandya								Total							
Mysore								Grand total for States							
Total								Part (B)							
								Grand total for States							
								Parts (A), (B) & (C).							
PEPSU								TYPHUS							
Barnala								No report of any case of typhus was received during the week.							
Total								POLIOMYELITIS							
Rajasthan								(Information based on patients treated in hospitals in important towns).							
Bikaner								Place							
Jaipur								Period							
Jodhpur								Cases.							
Total								Madhya Pradesh							
								West Bengal							
								Madras							

Explanation of symbols used:— C.—Cases; D.—Deaths.

NEW DELHI 3 (INDIA);

T is 24th October, 1950

S. P. JAIN,

for Registrar General, India.

NATIONAL

SAVINGS

CERTIFICATES

Are now available in three different series, maturing after 5, 7 and 12 years. The certificates yield 3%, 3½% and 4-1/6% simple interest respectively, at maturity. The 12 years certificates increase your money by 50% but if necessary can be encashed after 18 months (Rs. 5/- certificates after 12 months). The 5 and 7 years certificates can be encashed at any time.

National Savings Certificates are obtainable in denominations of 5, 10, 50, 100, 500, 1,000 and 5,000 and you can invest upto Rs. 25,000 in them (inclusive of any Post Office cash certificates held)

Full particulars obtainable from all post offices, District Organisers of the S.M. Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers or the National Savings Commissioner, Simla.

TODAY'S SAFEST AND MOST PROFITABLE INVESTMENT

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 23rd September 1950

Town	Mid-1950 Popn. Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
STATES (Parts A and O)														
Ajmer														
..	173	151	45.4	4	..	15	2	45	13.5	15	
..	45	42	48.5	8	..	3	..	13	15.0	6	
TOTAL	218	193	46.0	12	..	18	2	58	13.8	21	
Assam														
Return not received.														
Bhopal														
..	89	39	22.8	—	3	..	1	†	6	3.5	†	
Bihar														
Return not received.														
Bombay														
..	854	797	48.5	1	216	16	35	..	426	25.9	167	
..	66	82	64.0	3	2	3	1	27	21.2	9	
..	45	24	27.7	7	2	2	..	16	18.4	2	
..	100	62	32.2	1	2	9	..	34	17.6	9	
..	188	247	68.3	..	1	..	51	4	8	5	84	23.2	13	
..	42	42	52.0	..	—	..	8	—	1	..	27	33.4	8	
..	77	57	38.4	3	..	2	..	29	19.5	6	
..	44	73	86.2	2	..	3	..	15	17.7	4	
..	58	31	27.2	3	1	2	1	10	8.9	2	
..	1,796	1,222	35.4	1	8	13	116	3	604	17.5	183	
..	76	70	47.6	13	1	7	..	33	22.5	6	
..	38	47	64.3	12	16	21.8	1	
..	55	39	36.8	1	—	15	14.1	2	
..	66	61	48.6	8	1	2	1	21	16.5	8	
..	66	36	28.3	7	..	7	1	27	21.2	7	
..	48	32	34.6	6	..	2	..	14	15.1	1	
..	107	57	27.7	4	..	5	..	20	9.7	3	
..	62	65	54.5	2	..	3	..	18	15.0	6	
..	36	44	63.3	1	2	2	..	5	13.0	..	
..	115	93	42.0	5	2	4	..	34	15.3	5	
..	47	47	52.0	1	7	1	4	..	21	23.2	4	
..	41	38	48.3	10	1	4	..	17	21.8	7	
..	33	12	16.4	1	4	3	1	..	14	19.9	2	
..	53	54	48.4	15	1	23	20.6	8	
..	59	61	53.7	1	5	6	2	37	32.6	4	
..	46	49	55.3	7	1	12	13.5	1	
..	37	32	44.9	5	5	7	..	30	42.1	12	
..	53	36	32.2	3	7	6.2	2	
..	43	43	52.0	7	2	15	18.1	5	
..	313	251	42.9	3	3	33	1	143	23.7	47	
..	39	26	34.6	1	2	14	18.6	5	
..	40	28	36.4	6	2	22	28.6	8	
..	267	261	50.8	12	11	42	2	112	21.8	44	
..	239	224	48.7	12	6	20	..	75	16.3	9	
TOTAL	5,264	4,343	42.9	5	1	..	455	85	330	19	2,021	20.0	605	
Delhi State														
..	685	580	44.8	61	12	27	..	134	10.2	45	
..	121	220	94.5	3	1	4	1	55	23.6	9	
TOTAL	806	810	52.3	64	13	31	1	189	12.2	54	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory diseases ; M.D.—Maternal Deaths ; D.R.—Death rate ; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 23rd September 1950—*contd.*

Town	Mid-1950 Popn. Est. (000)	Deaths from :—											Total	D.R.*	I.D.
		B.	B. R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Madhya Pradesh		Return not received.													
Madras															
Adoni	35	41	60.9	2	4	..	17	25.3	6		
Amalur	39	18	24.0	2	1	1	..	6	8.0	..		
Anakapalli	35	26	38.6	5	2	2	..	26	38.6	..		
Aruppukottai	36	43	62.1	5	2	1	..	21	30.3	6		
Bellary	64	35	28.4	1	2	6	..	28	22.8	6		
Cannanore	35	29	43.1	2	..	3	..	10	14.9	2		
Chirala†															
Chittoor	33	32	50.4	..	2	..	3	..	2	1	15	23.6	1		
Coimbatore†															
Cuddalore	62	63	52.8	7	1	1	..	34	28.5	..		
Cuddappah	34	34	52.0	..	2	..	1	1	1	..	10	15.3	1		
Dindigul	68	43	32.9	..	1	..	1	5	7	..	28	21.4	..		
Eluru	72	34	24.6	..	1	..	3	2	2	..	23	16.6	..		
Erode	45	53	61.2	5	4	5	..	25	28.9	..		
Juddiyattam	40	16	20.8	1	3	4	5	..	23	30.0	..		
Guntur†															
Kakinada	84	33	20.4	..	1	..	4	..	3	..	27	16.7	4		
Kancheepuram	88	58	26.3	4	5	12	2	43	26.9	4		
Kozhikode	35	36	53.5	7	5	2	..	28	42.0	..		
Karaikudi	152	103	35.2	8	1	9	..	61	20.9	..		
Karur	36	30	43.3	3	..	2	..	12	17.3	2		
Kombakonam	71	106	77.6	1	4	7	..	42	30.8	..		
Kurnool	55	64	60.5	3	4	8	1	33	31.2	..		
Madras	1,013	1,064	54.6	5	4	..	67	74	167	6	717	36.8	179		
Mangalore	94	96	53.1	8	7	2	..	52	28.8	..		
Masulipatnam	61	56	47.7	3	2	3	..	25	21.3	..		
Mathurai	292	345	61.4	61	12	..	19	17	43	4	249	44.4	40		
Mayuram	33	40	63.0	3	1	5	..	28	44.1	..		
Melapalayam	32	11	17.9	3	1	1	..	11	17.4	..		
Nagapattinam	57	49	44.7	2	22	20.1	..		
Nellore	66	72	56.7	..	1	..	12	4	5	3	57	44.8	15		
Ooty	35	28	42.0	2	7	..	18	26.7	..		
Palam Cotta	34	34	52.0	1	4	1	19	29.1	..		
Palghat	61	37	31.5	1	1	8	..	31	26.4	..		
Proddatur †															
Pudukottai	39	14	18.7	1	1	2	..	7	3	..		
Rajahmundry	85	49	30.0	1	3	1	..	27	16.5	1		
Rajapalayam	53	58	56.7	1	4	1	2	35	34.3	7		
Salem	155	114	38.3	1	1	..	13	5	19	3	91	30.5	1		
Srivilliputtur	37	24	33.7	2	1	1	1	16	22.7	..		
Tanjore	70	77	57.2	1	5	7	7	2	74	55.0	..		
Tellicherry	42	19	23.5	1	3	..	14	17.3	..		
Tenali	46	40	45.2	1	..	3	..	14	15.8	..		
Tiruchirappalli	175	117	34.8	4	6	16	..	109	32.4	2		
Tirunelveli†															
Tiruppur	47	42	46.5	1	4	1	..	27	29.9	..		
Tiruvannamalai	39	33	44.0	1	2	2	5	..	26	34.7	..		
Tuticorin	90	87	50.3	1	1	14	1	42	24.3	1		
Vaniyambadi	39	15	20.0	..	1	2	6	..	19	25.3	..		
Vellore	85	113	69.1	..	1	2	12	..	48	29.4	..		
Vijayavada	110	98	46.3	7	3	7	..	40	18.9	..		
Virudunagar	36	31	44.8	6	6	4	..	35	50.6	..		
Visagapatnam	82	54	34.2	2	4	6	..	32	20.3	..		
Vizianagaram	58	53	47.5	4	5	4	1	39	35.0	14		
TOTAL	4,180	3,767	46.9	71	27	..	237	212	446	28	2,436	30.3	46		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B.=Births; B.R.=Birth rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery & Diarrhoea; R.D.=Respiratory diseases; M.D.=Maternal deaths; D.R.=Death rate; I.D.=Infantile Deaths (included in total deaths)

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 23rd September, 1950—*contd.*

Town	Mid-1950 Popn.-Est. (000)	Deaths from:—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S	P.	F.	D.D.	R.D.	M.D.				
Orissa														
Berhampur	49	46	48.9	5	2	18	19.2	4	
Cuttack	83	70	44.0	..	2	..	7	1	41	26.0	8	
Puri	44	21	24.9	8	1	4	1	29	34.4	7	
TOTAL	176	137	40.5	..	2	..	20	4	4	1	88	26.0	17	
Punjab (I)														
Ambala	52	40	40.1	2	1	..	3	3.0	1	
Amritsar	508	244	25.0	17	7	25	1	112	11.5	23	
Batala	55	23	21.8	22	..	2	..	26	24.6	5	
Bhiwani	51	41	41.9	8	1	4	..	21	21.5	5	
Fazilka	87	19	26.8	8	3	1	..	14	19.7	3	
Ferozepore	48	31	33.7	5	3	11	11.9	2	
Hissar	32	25	40.7	8	..	1	..	11	17.9	2	
Hoshiarpur	43	29	35.2	3	7	8.5	..	
Jullundur	145	117	42.1	25	1	4	..	40	14.4	10	
Karnal	48	36	39.1	4	5	5.4	2	
Ludhiana	152	110	37.7	23	..	2	..	29	18.4	10	
Moga	37	24	33.8	2	7	9.9	4	
Panipat	42	42	52.2	10	2	2	..	15	18.6	4	
Rewari	35	29	43.2	6	12	19.4	7	
Rohtak	60	118	102.5	5	8	7.0	4	
TOTAL	1,345	928	35.9	145	19	42	1	222	12.8	92	
Uttar Pradesh														
Agra	355	427	62.7	6	14	58	..	208	30.5	75	
Allahabad	325	214	34.3	4	..	23	1	75	12.0	27	
Amroha	66	59	46.4	5	1	3	1	15	11.8	3	
Bahraich	46	27	30.5	9	1	1	..	21	23.7	4	
Bahampur	51	13	13.4	6	10	10.3	3	
Benaras	308	290	49.9	..	1	..	67	14	14	1	167	26.3	39	
Bareilly	235	132	29.3	21	6	20	1	63	13.7	12	
Budaun	58	56	50.1	4	1	2	..	14	12.5	4	
Dehra Dun	104	78	27.7	6	5	4	..	23	11.6	4	
Etawah	58	31	21.7	7	2	4	1	40	25.4	16	
Faizabad-Ajodhya	58	60	53.6	4	1	5	..	13	16.1	3	
Farrukhabad-Fatehgarh	64	82	66.5	11	5	4	..	24	27.6	19	
Ferozabad	55	55	51.9	11	..	1	..	16	15.1	6	
Ghazipur	35	26	28.8	3	2	2	..	15	23.4	3	
Gorakhpur	121	110	43.9	12	14	9	1	50	19.9	12	
Hapur	47	53	64.7	10	5	1	..	22	24.5	7	
Hardwar Union	71	30	22.0	16	2	1	..	29	21.2	7	
Hathras	57	84	77.5	14	9	5	1	32	29.5	9	
Jaunpur	52	34	34.3	3	..	2	..	10	10.1	..	
Jhansi	90	123	73.8	23	4	2	..	50	28.8	15	
Kanpur	702	515	38.3	125	32	32	5	254	26.3	91	
Khurja	41	23	35.3	2	2	10	12.6	3	
Koll Aligarh	143	51	18.6	12	8	3	..	32	11.7	8	
Lucknow	487	393	42.0	31	9	28	1	143	15.3	51	
Mathura	101	129	66.9	11	7	5	3	26	18.7	24	
Meerut	160	135	44.0	7	9	17	..	33	12.4	6	
Mirzapur-Vindhyachal	81	88	56.9	8	2	2	..	26	16.8	5	
Moradabad	186	141	39.5	11	3	6	1	42	11.8	9	
Muzaffarnagar	65	70	55.8	12	1	19	15.2	5	
Pilibhit	53	33	32.4	7	17	16.7	4	
Rampur	103	16	8.1	8	..	3	1	15	7.6	4	
Saharanpur	168	110	34.1	41	..	3	..	53	16.4	19	
Sambhal	63	57	46.9	5	3	11	..	25	20.6	8	
Shahjahanpur	132	56	22.1	11	2	2	..	24	9.5	4	
Sitapur	37	23	22.2	6	..	1	..	11	15.4	4	
TOTAL	4,780	3,886	42.2	..	1	..	539	164	274	18	1,756	19.1	514	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery & Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 23rd September, 1950—*contd.*

Town	Mid-1950 Popn. Est. (000)	B	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
West Bengal														
Asansol†														
Bally	69	3	2.3	1	2	1.5	..	
Bankura†														
Baranagar	71	32	23.6	..	1	..	7	11	4	—	38	23.6	8	
Berhampur	55	26	24.8	13	—	16	15.2	1	
Bhatpara	147	37	13.1	..	3	..	17	4	5	1	46	16.3	14	
Budge Budge	40	4	5.2	1	2	..	6	7.5	..	
Burdwan	85	11	6.8	3	1	1	1	10	6.2	..	
Calcutta	2,991	874	15.2	9	24	..	121	127	175	16	854	14.9	†	
Champdani	38	9	12.4	1	..	1	..	4	5.5	..	
Garden Reach	113	10	4.6	1	2	..	5	2.3	..	
Hooghly Chinsura	64	51	41.3	..	1	..	3	2	2	1	14	11.3	2	
Howrah	523	97	9.7	4	5	..	13	23	27	1	152	15.1	45	
Kamarhati†														
Krishnagar	39	3	4.0	1	1	3	4.0	..	
Midnapur	54	11	10.7	2	4	2	1	1	19	18.5	1	
Nabadwip	42	23	28.9	1	3	..	10	6	23	28.9	1	
Nalhati	53	2	2.0	1	
Serampur	71	30	22.2	8	6	2	2	29	21.4	9	
South Suburban†														
Titagarh	65	21	16.9	17	..	1	1	23	18.5	..	
Tollygunj	90	5	2.9	—	
TOTAL	4,610	1,247	14.1	17	37	..	219	184	229	24	1246	14.1	82	

STATES—(PART B)

Jammu and Kashmir

Return not received.

Madhya Bharat

Return not received.

Mysore State

Bangalore City	500	693	72.0	8	29	53	..	227	13.5	..	
Kolar Gold Fields	179	79	40.0	2	3	5	..	25	12.6	..	
Mysore City	191	180	48.9	6	8	67	17.9	..	
TOTAL	870	852	50.9	16	40	58	..	319	19.1	..	

PEPSU

Malerkotla	36	42	60.7	2	4	5.8	..	
Patiala	84	79	48.9	10	3	3	2	28	17.3	..	
TOTAL	120	121	42.4	12	3	3	2	32	13.9	..	

Rajasthan

Alwar †														
Bikaner	166	97	30.4	6	5	8	..	23	7.2	2	
Jaipur	201	74	19.1	40	7	4	1	95	24.5	41	
Jodhpur	137	24	7.9	14	6	1	..	38	12.5	..	
Udaipur	72	5	3.6	2	7	5.1	..	
TOTAL	596	200	17.4	62	18	13	1	163	14.2	43	

Saurashtra

Bhavnagar†														
Bhoraji														
Jamnagar†	45	31	35.8	8	2	1	..	13	15.0	..	
Jetpur	33	29	45.7	4	1	1	..	12	18.9	4	
Junagadh	75	46	31.9	12	1	1	..	17	11.8	2	
Morvi	54	15	14.4	7	4	1	..	12	11.6	2	
Porbander	63	49	40.4	10	3	2	1	27	22.3	9	
Rajkot	73	104	74.1	12	4	1	..	59	42.0	..	
TOTAL	343	274	41.5	53	15	7	1	140	21.2	17	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D. D.—Dysentery and Diarrhoea ; R.D.—Respiratory diseases ; M.D.—Maternal Deaths ; D.R.—Death rate ; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 23rd September, 1950—*contd.*

Town	Mid-1950 Popn. -Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Travancore-Cochin														
Alleppey	68	49	37.5	2	1	2	1	17	13.0
Ernakulam	56	41	38.1	3	..	15	13.9	2	..
Kottayam	41	20	25.4	2	1	10	12.7
Mattanoheri	66	34	26.8	2	..	4	..	23	18.1	5	..
Nagercoil	60	40	31.5	4	..	4	..	18	15.6	1	..
Quilon	64	31	25.2	1	..	5	2	11	8.9
Trichur	69	34	25.6	6	1	1	..	15	11.3
Trivandrum	159	145	47.4	..	1	..	10	5	5	..	45	14.7	4	..
TOTAL	583	394	35.1	..	1	..	27	8	24	3	154	13.7	12	..
ARREAR RETURNS														
For week the 16th September, 1950														
Madhya Pradesh														
Akola†	76	96	65.6	9	3	5	1	39	26.6	14	..
Amravati	43	33	39.8	4	..	1	..	14	16.9	4	..
Bilaspur	62	85	69.0	..	1	..	12	3	28	23.0
Burhanpur	43	30	36.4	..	3	..	3	10	16	19.4
Damoh†	34	32	48.7	7	13	35	59.3	5	..
Ellichpur	33	27	42.4	1	1	5	7.9	3	..
Hinganghat	175	141	42.0	..	1	..	14	3	3	3	58	17.8	8	..
Jabalpur	42	45	55.6	11	1	18	22.3
Khandwa	300	199	34.5	5	1	..	49	14	11	9	155	26.9	1	..
Nagpur	83	78	48.6	20	7	6	..	44	27.4
Nagpur Civil Station	37	31	44.1	2	2	6	8.5	2	..
Raipur†	32	29	47.5	10	1	20	32.7	5	..
Sagar†	37	31	44.1	2	2	6	8.5	2	..
Wardha	32	29	47.5	10	1	20	32.7	5	..
Yechnal	32	29	47.5	10	1	20	32.7	5	..
TOTAL	918	826	46.8	5	5	..	142	58	26	13	438	24.8	42	..
West Bengal														
For week the 16th September, 1950														
Asansol†	69	8	6.0	1	..	3	3.3
Bally	61	3	1.7	6	5.2
Bankura	71	41	30.2	1	1	..	4	6	5	..	36	26.6	10	..
Baranagar	55	34	32.4	10	6	1	1	26	24.8	2	..
Berhampur	147	43	17.0	..	1	..	25	3	5	..	61	21.6	13	..
Bhatpara	40	1	1.3	2	1	6	7.3
Budge-Budge	85	16	9.9	2	3	2	..	11	6.8
Burdwan	2,991	1,011	17.6	8	39	..	106	120	166	8	805	14.0	†	..
Calcutta	38	6	8.3	2	2.8
Chandani	523	74	7.4	1	3	..	3	19	37	1	154	15.3	45	..
Gadgaon-Rasoh†	54	1	1.0	1	1.0
Hooghly-Chinsura†	39	72	95.7	2	2	6	3	2	23	37.2	5	..
Howrah	54	17	16.5	4	2	..	1	3	1	..	22	21.4
Kamarhati	42	29	36.4	..	5	..	8	4	24	30.1	3	..
Krishnagar	53	10	9.9	2	1	4	4.0	2	..
Midnapur	71	32	23.7	3	6	5	..	24	17.7	5	..
South Suburban†	65	21	16.9	17	1	22	17.7
Tiftagarh	90	22	12.7
Tollygunj	90	22	12.7
TOTAL	4,547	1,445	16.5	16	56	..	190	177	226	14	1,235	14.1	85	..
Punjab (I)														
For week the 16th September 1950														
Hoshiarpur	43	33	40.1	11	..	1	..	15	18.2
Amritsar	508	304	31.2	20	16	40	..	164	16.8	50	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B. R.—Birth rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D. D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M. D.—Maternal Deaths ; D. R.—Death rate ; I. D.—Infantile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for the week ending the 23rd September, 1950 relate to 182 towns with an estimated population of 23,980 thousands. The total number of towns is 233 and their population is 28,421 thousands. Thus 78% of the total number of towns representing 84% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 17,191 and 8,940 representing birth and death rates of 37.3 and 19.4 per thousand of population respectively.

(A) States (Parts A & C).—The data here relate to 159 towns with an estimated population of 21,468 thousands. Information about Assam, Bihar and Madhya Pradesh could not be included. The total number of towns is 201 and their population is 24,668 thousands. Thus 79% of the total number of towns representing 87% of the total population is covered. The numbers of births and deaths recorded in these towns were 15,350 and 8,132 representing birth and death

rates of 37.2 and 19.7 per thousand of population respectively. The table at the end gives the position by states.

The towns of Tanjore and Virudhunagar in Madras recorded high death rates of 55.0 and 50.6 per thousand of population and these high rates were not due to any one of the specified cause.

(B) States (Part B).—The data here relate to 23 towns with an estimated population of 2,512 thousands. The total number of towns is 32 and their population is 3,753 thousands. Thus 72% of the total number of towns representing 67% of the total population is covered. The numbers of births and deaths recorded in these towns were 1,841 and 808 representing birth and death rates of 38.1 and 16.7 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 23-9-50		Corresponding w/e last year		Corresponding mean during the previous 5 years' period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer	46.0	13.8	36.4	23.6	43.5	30.1
Bombay.	45.9	20.0	36.6	23.1	37.8	25.7
Delhi	52.3	12.2	60.4	14.7	49.3	18.9
Madras	46.9	30.3	49.0	26.2	45.4	24.2
Orissa	40.5	26.0	40.9	25.7	38.7	27.8
Punjab (I)	35.9	12.8	33.8	17.5	33.3	19.4
Uttar Pradesh	42.3	19.1	46.8	26.7	47.2	29.5
West Bengal	14.1	14.1	16.6	13.8	15.9	14.2
India (Only States Parts A & C) 27.3		19.7	28.3	22.0	28.7	22.1

New Delhi 3 (INDIA), }
The 16th October, 1950. }

S. P. JAIN,
for Registrar General, India.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 30th September, 1950.

Deaths from :—														
Town	Mid-1950 Popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
STATES (Parts A and C)														
Ajmer														
Ajmer	173	230	84.2	9	2	11	1	53	15.4	13	
Beawar	45	23	38.1	8	...	2	...	14	16.2	5	
TOTAL	218	253	74.4	17	2	13	1	67	16.0	23	
Assam														
Return not received														
Bhopal														
Bhopal	89	42	24.5	2	1	1	†	5	2.9	†	
Bihar														
Return not received														
Bombay														
Ahmedabad	354	857	51.6	207	19	43	3	427	26.0	169	
Ahmednagar	66	182	97.9	3	1	12	...	37	24.2	19	
Amalner	45	55	63.6	6	...	6	...	18	20.8	3	
Bandra	100	63	32.8	...	1	...	1	1	3	...	32	16.6	14	
Baroda City	188	217	60.0	49	4	7	1	84	23.2	13	
Bard	42	73	90.4	4	...	2	...	16	18.8	7	
Belgaum	77	47	31.7	7	1	1	...	20	13.5	4	
Bhusawal	44	78	92.2	4	13	21.2	3	
Bijapur	58	40	35.9	3	3	3	...	17	15.2	...	
Bombay	1,796	1,582	45.9	4	11	145	...	664	19.2	196	
Broach	76	58	39.7	3	1	2	...	13	13.6	4	
Cambay	38	47	62.7	11	13	17.3	4	
Dharwar	55	36	34.0	3	...	24	22.7	3	
Dhulia	66	58	45.7	14	2	30	23.6	4	
Gadag-Betgeri	66	45	35.5	3	...	5	1	24	18.9	2	
Godhra	48	40	43.3	1	...	1	...	5	3.3	2	
Hubli	107	60	29.2	5	...	7	1	26	12.6	4	
Jaigaon	62	39	32.7	9	2	3	...	32	26.8	9	
Kalyan	36	31	45.3	3	1	4	...	12	17.3	...	
Kolhapur	113	85	38.4	5	...	2	3	37	16.7	4	
Kurda	47	37	40.9	1	1	3	...	14	15.5	5	
Malegaon	41	33	65.0	10	...	2	1	15	19.0	6	
Miraj	39	23	31.5	3	2	1	1	...	20	27.2	2	
Nadiad	58	99	71.5	15	...	1	...	34	21.5	4	
Nasik	59	63	55.5	3	4	7	1	47	41.4	7	
Navsari	46	38	38.6	6	3	16	18.1	7	
Pandharpur	37	19	26.7	3	4	3	...	20	23.1	10	
Parle Andheri	58	36	32.3	6	1	2	...	13	16.1	5	
Patan	43	50	60.5	10	...	1	...	18	21.7	5	
Poona	313	267	44.4	3	2	47	1	140	23.2	43	
Sangli	39	33	44.0	2	6	2	3	...	23	30.6	1	
Satara	40	32	41.6	3	4	1	20	26.0	7	
Sholapur	267	250	48.7	5	15	52	...	119	23.2	52	
Surat	239	248	43.1	17	6	30	...	107	18.6	36	
TOTAL	5,264	4,971	49.1	8	1	...	433	83	405	15	2,155	21.3	669	
Delhi Province														
Delhi City	685	898	68.2	93	16	38	5	209	15.9	72	
New Delhi	121	148	63.6	1	36	15.5	4	
TOTAL	806	1,046	67.5	94	16	38	5	245	15.8	76	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B. R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory diseases; M.D.—Maternal Deaths; D.R.—Death rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 30th September, 1950—*contd.*

Town	Mid-1950 Popn-Est. (000)	B.	B.R.*	Deaths from :-							Total	D.R.*	I.D.
				O.	S.	P.	F.	D.D.	R.D.	M.D.			
Madhya Pradesh				Return not received.									
Madras													
Adoni†													
Ambur . . .	39	38	50.7	2	2	1	...	11	14.7	4
Anakapalle . . .	35	30	44.6	3	3	2	1	16	23.8	3
Aruppukotai . . .	36	50	72.2	7	11	4	...	36	52.0	14
Bellary †													
Cannanore. . .	35	23	34.2	6	...	4	...	14	20.8	...
Chirala†													
Chittoor . . .	33	32	50.4	...	1	...	2	2	2	...	18	28.4	2
Coimbatore†													
Cuddalore . . .	62	78	65.4	4	3	6	1	40	33.6	3
Cuddappah . . .	34	42	64.2	7	4	4	2	2	27	41.3	2
Dindigul . . .	68	75	57.4	1	2	2	10	...	43	32.9	3
Eluru . . .	72	65	46.9	2	4	6	..	31	22.4	2
Erode . . .	45	48	55.5	3	3	2	7	1	30	34.7	4
Guddiyattam . . .	40	55	71.5	2	3	5	...	14	18.2	3
Guntur †													
Kakinada . . .	84	61	27.7	3	2	3	...	43	26.6	5
Kancheepuram . . .	83	73	45.7	1	3	13	2	44	27.6	9
Kozhikode . . .	152	112	72.1	10	...	19	1	88	30.1	17
Karaikudi . . .	36	23	33.2	1	...	2	...	9	13.0	2
Karur . . .	35	30	44.6	1	2	1	...	21	31.2	8
Kumbakonam . . .	71	76	55.7	...	1	...	3	7	10	2	61	44.7	15
Kurnool . . .	55	83	78.5	2	8	1	29	27.4	10
Madras . . .	1,013	1,251	64.2	28	6	...	70	90	225	4	841	43.1	230
Mangalore . . .	94	118	65.3	8	7	15	1	61	33.8	8
Masulipatnam . . .	61	82	69.9	4	...	4	...	34	29.0	7
Mathurai . . .	292	417	74.3	21	14	...	19	11	47	1	310	37.4	38
Mayuram . . .	33	43	67.8	2	1	...	15	23.6	1
Melapalayam . . .	32	28	45.5	3	2	1	...	9	14.6	...
Nagapattinam . . .	57	40	36.5	2	...	1	...	23	25.5	3
Nellore . . .	66	109	85.9	9	1	2	...	42	33.1	17
Ooty . . .	35	43	63.9	1	...	7	2	13	19.3	5
Palam Cottah . . .	34	36	55.1	2	1	3	...	25	38.2	5
Palghat . . .	61	61	52.0	6	...	3	3	33	28.1	5
Proddatur . . .	33	33	52.0	1	3	...	5	1	15	23.6	2
Pudukottai . . .	39	56	74.7	6	3	3	...	26	34.7	2
Rajahmundry . . .	85	75	45.9	...	1	...	4	4	3	...	40	24.5	3
Rajapalayam . . .	53	45	44.2	...	2	3	4	...	28	27.5	7
Salem . . .	155	142	47.6	5	8	5	18	8	95	31.9	25
Srivilliputtur . . .	37	31	43.6	2	3	2	...	28	39.4	5
Tanjore . . .	70	56	41.6	2	2	6	4	...	49	36.4	8
Tellicherry . . .	42	39	48.3	2	3	...	20	24.8	3
Tenali . . .	46	59	66.7	4	...	2	...	15	17.0	2
Tiruchtrappalli . . .	175	193	58.8	2	12	23	2	107	31.8	12
Tirunelveli . . .	64	85	69.1	4	12	...	52	42.3	17
Tiruppur. . .	47	51	56.4	4	5	4	...	35	38.7	10
Tiruvannamalai . . .	39	64	85.3	1	2	3	...	15	20.0	4
Tuticorin . . .	90	103	59.5	2	3	10	2	40	23.1	13
Vaniyambadi . . .	39	23	30.7	2	5	...	14	18.7	4
Vellore . . .	85	107	65.5	3	1	3	8	...	43	26.3	14
Vijayavada . . .	110	82	38.8	...	1	...	5	2	1	1	30	14.2	9
Virudunagar . . .	36	50	72.2	1	4	4	...	25	36.1	4
Vizagapatnam . . .	82	64	40.6	7	4	8	...	44	27.9	10
Vizianagram . . .	58	61	54.7	3	5	3	2	45	40.4	9
TOTAL	4,178	4,646	57.8	71	26	...	235	238	537	38	2,652	33.0	588

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal deaths; D.R.—Death rate; I.D.—Infantile deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 30th September, 1950—*contd.*

Town	Mid-1950 Popn-Est. (000)	Deaths from :—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Orissa															
Berhampur	49	81	64.9	6	5	1	1	30	31.9	5		
Cuttack	83	72	46.1	...	1	...	12	3	50	32.0	9		
Puri	44	20	23.7	14	2	1	...	30	35.6	3		
TOTAL	176	153	45.2	...	1	...	32	10	2	1	110	32.5	17		
Punjab (I)															
Ambala	52	55	55.2	4	3	2	...	10	10.0	4		
Amritsar	508	249	25.6	14	6	45	...	176	18.1	43		
Batala	55	49	46.4	21	...	3	1	29	27.5	10		
Bhiwani	51	66	67.5	5	...	1	...	11	11.2	4		
Fazilka	37	16	22.5	5	1	8	11.3	5		
Ferozepore	48	48	52.1	1	...	1	...	4	4.3	...		
Hissar	32	26	42.3	10	1	1	...	18	29.3	8		
Hoshiarpur	43	36	43.7	9	...	2	...	12	14.6	2		
Jullundur	145	115	41.4	18	3	6	...	43	15.5	8		
Karnal	48	42	43.6	9	...	1	...	13	14.1	3		
Ludhiana	152	172	59.0	11	2	5	...	32	11.0	11		
Moga†															
Panipat	42	48	59.6	14	1	16	19.9	...		
Rewari	35	31	46.2	6	7	15	22.4	4		
Rohtak	60	73	63.4	8	12	10.4	5		
TOTAL	1,308	1,026	40.8	135	24	67	1	399	15.9	107		
Uttar Pradesh															
Agra	355	627	92.0	4	23	99	2	237	34.8	83		
Allahabad	325	220	35.3	2	...	28	1	75	12.0	21		
Amroha	66	61	48.0	4	1	6	...	21	16.5	6		
Bahraich	46	31	35.0	8	1	1	1	12	13.5	2		
Balrampur	51	24	24.7	9	13	13.4	2		
Banaras	308	347	58.8	74	17	19	2	205	34.8	50		
Bareilly	235	155	34.3	19	10	13	1	56	12.4	20		
Budaun	58	43	38.5	3	1	5	...	16	14.3	7		
Dehra Dun	104	86	43.3	11	1	4	...	24	12.1	7		
Etawah	58	81	71.7	8	1	1	...	23	20.4	15		
Faizabad-Ajodhya	58	60	53.6	4	1	2	...	16	14.3	3		
Farrukhabad-Fatehgarh	64	82	66.5	...	1	...	15	5	34	27.6	8		
Ferozabad	55	56	52.8	14	1	1	...	20	18.9	4		
Ghazipur	35	41	61.3	5	1	10	14.9	5		
Gorakhpur	121	96	38.3	14	9	2	...	40	16.0	9		
Hapur	47	57	63.6	9	8	2	...	21	23.4	6		
Hathras	71	37	27.1	6	5	2	...	25	18.3	10		
Hathras	57	110	101.5	4	15	6	1	32	29.5	12		
Jaunpur	52	30	30.3	7	...	5	...	17	17.2	1		
Jhansi	90	135	77.9	19	3	2	1	56	32.3	25		
Kanpur	702	500	37.2	137	34	37	6	371	27.6	100		
Khurja	41	44	55.4	1	3	4	...	14	17.6	6		
Koil-Aligarh	143	71	25.9	10	1	3	...	26	9.5	5		
Lucknow	437	404	43.2	32	7	23	...	139	14.9	43		
Mathura	101	106	55.0	24	1	12	4	37	19.2	14		
Meerut	160	147	47.9	10	4	12	...	35	11.4	7		
Mirzapur-Vindhyachal	81	70	45.3	12	3	2	...	27	17.5	8		
Moradabad	186	145	40.7	6	5	8	...	40	11.2	6		
Muzaffarnagar	65	46	36.7	8	3	1	...	16	12.8	5		
Phibhit	53	45	44.2	13	...	1	...	26	25.6	6		
Rampur	103	15	7.6	2	...	2	...	6	3.0	...		
Saharanpur	168	166	51.5	59	1	3	...	76	23.6	26		
Sambhal	63	79	65.0	1	6	6	5	...	23	18.9	6		
Shahjahanpur	132	67	26.4	13	...	2	...	18	7.1	5		
Sitapur	37	33	46.2	2	10	14.0	6		
TOTAL	4,780	4,317	47.0	1	1	...	574	171	303	19	1,817	19.8	539		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory diseases ; M.D.—Maternal deaths ; D.R.—Death rate ; I.D.—Infantile deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 30th September, 1950—*contd.*

Town	Mid-1950 Popn. Est. (000)	B.	B.R.*	Deaths from —								Total	D.R.*	I. D.
				C.	S.	P.	F.	D.D.	R.D.	M. D.				
West Bengal														
Asansol †														
Bally	69	13	9.8	1	2	1	9	6.8	...	
Bankura†														
Baranagar	71	50	36.9	5	8	5	...	24	17.7	5	
Berhampur	55	19	18.1	4	2	1	1	15	14.3	2	
Bhatpara	147	47	16.7	1	17	6	8	...	51	18.1	9	
Budge-Budge	40	4	5.2	2	7	11	14.3	...	
Burdwan	85	11	6.8	4	1	2	...	11	6.8	...	
Calcutta	2,991	1,231	21.5	8	24	...	103	105	179	4	791	13.8	...	
Champdani	38	16	22.0	1	4	5.5	...	
Garden Reach	113	29	13.4	9	3	3	...	20	9.3	...	
Hooghly Chinsura	64	46	37.2	...	1	...	5	3	1	1	21	17.0	3	
Howrah	523	206	20.5	...	3	...	11	32	49	1	179	17.8	47	
Kamarhati†														
Krishnagar	39	4	5.3	2	2.7	...	
Midnapur	54	18	17.5	2	2	...	3	2	3	...	22	21.4	2	
Nabadwip	42	43	54.0	...	4	...	14	5	27	33.9	...	
Naihati	53	11	10.9	...	1	...	2	2	10	9.9	5	
Serampur	71	31	22.9	4	8	3	...	31	22.9	5	
South Suburban	86	44	26.7	1	2	5	...	15	9.1	6	
Titagarh	65	39	31.4	20	...	1	...	23	18.5	...	
Tollygunj	90	17	9.8	1	...	3	1.7	...	
TOTAL	4,696	1,879	20.8	12	37		205	187	261	7	1,269	14.1	88	
STATES (Part B)														
Return not received.														
Jammu and Kashmir														
Madhya Bharat														
Greater Gwalior	234	103	22.9	2	17	9.8	...	
Indore City	272	164	31.4	...	5	...	30	3	8	3	116	22.2	35	
Ratlam	52	41	41.0	10	5	4	1	27	27.0	9	
Ujjain City	106	52	25.5	7	1	12	...	42	20.6	11	
TOTAL	664	360	28.2	49	9	24	4	202	15.8	55	
Mysore State														
Bangalore City	500	456	47.4	5	20	55	...	239	24.8	...	
Kolar Gold Fields†														
Mysore City	191	118	37.6	9	10	5	...	86	27.4	...	
TOTAL	691	574	43.2	14	30	60	...	325	24.5	...	
PEPSU														
Malerkotla	36	28	40.4	1	...	2	...	4	4.3	1	
Patiala	84	66	40.9	15	...	3	1	25	15.5	...	
TOTAL	120	94	40.7	16	...	5	1	29	12.6	1	
Rajasthan														
Alwar†														
Bikaner	166	72	22.6	4	10	6	...	23	7.2	2	
Jaipur	201	54	13.9	42	3	12	1	101	26.1	46	
Jodhpur	157	32	10.5	6	2	1	...	21	6.9	...	
Udaipur†														
TOTAL	524	158	15.7	52	15	19	1	145	14.4	48	
Saurashtra														
Bhavnagar	128	140	56.9	44	10	13	...	88	35.7	...	
Bhoraji	45	39	45.1	5	1	11	12.7	...	
Jamnagar†														
Jetpur	33	23	36.2	4	1	5	7.9	1	
Junagadh	75	34	23.7	14	...	2	...	25	17.3	9	
Morvi	54	16	15.4	5	5	11	10.6	4	
Porbandar	63	78	64.4	13	1	28	23.9	6	
Rajkot†	73	178	126.8	28	6	3	...	107	76.2	...	
TOTAL	471	508	56.1	113	24	18	...	275	30.4	19	
Travancore-Cochin														
Alleppey	68	35	26.8	6	...	53	...	15	11.5	...	
Ernakulam	56	61	56.6	1	...	1	...	20	18.6	1	
Kottayam	41	40	50.7	4	...	2	...	14	17.8	...	
Mattanchery	66	56	44.1	6	...	4	...	19	14.9	...	
Nagercoil	60	54	46.8	3	1	1	...	16	13.9	1	
Quilon	64	53	43.1	3	2	1	...	17	13.8	3	
Trichur	69	34	25.6	1	...	3	1	17	16.6	3	
Trivandrum	159	144	47.1	6	3	10	3	38	12.4	9	
TOTAL	583	477	42.5	30	6	25	4	156	13.9	17	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:— B.—Births; B.R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D. D.—Dysentery and Diarrhoea; R.D.—Respiratory diseases; M.D.—Maternal deaths; D.R.—Death rate; I.D.—Infantile deaths (included in total deaths.)

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 30th September, 1950—*contd.*

Deaths from:—

	Mid.-1950 Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D,D'	R.D.	M.D.	Total	D.R.*	I.D.
ARREAR RETURNS													
Madhya Pradesh		For w/e the 23rd September 1950											
Akola	76	48	32.6	3	4	16	10.9	1
Amraoti	76	65	44.4	9	3	8	2	42	28.7	17
Bilaspur	43	29	35.0	9	1	..	1	17	20.5	7
Burhanpur	63	84	69.1	17	3	3	...	84	69.1	...
Chanda	43	50	60.7	5	15	3	...	23	27.9	...
Damoh													
Ellichpur	34	26	39.6	4	2	3	...	17	25.9	4
Hinganghat	33	41	64.4	5	...	1	...	15	23.6	8
Jabalpur	175	170	50.6	13	13	12	1	59	17.6	...
Khandwa	42	38	46.9	10	1	22	27.2	...
Nagpur	300	223	38.7	1	5	..	52	18	8	1	196	34.0	18
Nagpur Civil Station	83	65	40.5	20	5	2	..	39	24.3	1
Raipur	80	30	19.4	6	1	12	7.8	...
Sagar†													
Wardha	37	8	11.4	7	3	14	19.9	3
Yeotmal†													
TOTAL	1085	877	42.5	1	5	...	160	66	40	8	556	26.6	54
Bihar		For w/e the 9th September 1950											
Arrah	57	10	9.1	3	5	12	10.9	...
Bettiah	33	21	33.6	3	1	...	1	...	8	12.8	...
Bihar	62	13	10.9	3	2	12	10.1	...
Bhagalpur	102	3	1.5
Chapra	62	7	5.8	1	4	3.3	...
Darbhanga	77	17	11.5	3	1	11	7.4	...
Dinapur-Nizamat	36	2	2.9	2	5	7.2	...
Gaya	121	82	35.1	3	3	...	27	10	8	...	85	36.4	...
Jamalpur	48	2	2.2
Jamshedpur	209	221	54.8	10	6	10	...	74	18.4	8
Monghyr†													
Muzaffarpur	64	7	5.6	7	3	19	15.3	2
Patna	191	22	6.0	3	7	1	18	4.9	...
Purulia	35	3	4.5	1	2	3.0	...
Ranchi	58	32	28.9	14	1	25	22.6	...
TOTAL	1,155	442	19.9	12	3	..	79	26	19	...	275	12.4	10
Bihar		For w/e the 16th September 1950											
Arrah	57	9	8.2	2	5	4.6	...
Bettiah	33	6	11.2	2	4	6.3	1
Bhagalpur	102	15	7.6	2	6	3.1	...
Bihar													
Chapra	62	11	9.2	3	1	7	5.8	...
Darbhanga	77	15	10.1	2	7	4.7	...
Dinapur-Nizamat	36	6	8.7	6	1	7	10.1	...
Gaya	121	56	24.0	5	1	...	45	8	9	...	95	40.7	...
Jamalpur	48	3	3.3	1	1.1	...
Jamshedpur†													
Monghyr†													
Muzaffarpur	64	7	5.6	...	1	...	2	1	17	13.7	1
Patna	191	8	2.2	7	4	20	5.4	...
Ranchi	58	6	5.4	5	1	18	16.3	...
Purulia	35	3	4.5	4	1	7	10.5	...
TOTAL	884	145	8.5	13	2	...	73	16	9	1	194	11.4	2
Madhya Pradesh For w/e													
Raipur 11-3-50	80	26	16.8	2	1	1	..	5	3.2	..
" 18-3-50	80	14	9.1	4	8	5.2	..
" 25-3-50	80	16	10.4	2	8	5.2	..
" 1-4-50	80	24	15.5	2	12	7.8	..
" 8-4-50	80	20	12.9	2	1	3	1.9	..
" 15-4-50	80	22	14.2	5	1	6	3.9	..
" 22-4-50	80	91	12.3	7	..	1	..	8	5.2	...
Jammu and Kashmir													
Srinagar 16-9-50	240	122	26.4	10	..	12	..	44	9.5	7

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery & Diarrhoea; R.D.—Respiratory diseases; M.D.—Maternal deaths; D.R.—Death rate; I.D., Infantile deaths (included in total deaths)

REMARKS

The figures of births and deaths shown in this statement for the week ending the 30th September, 1950 relate to 185 towns with an estimated population of 24,568 thousands. The total number of towns is 233 and their population is 28,421 thousands. Thus 79% of the total number of towns representing 86% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 20,564 and 9,851 representing birth and death rates of 43.5 and 20.9 per thousand of population respectively.

(A) States (Parts A and C):—The data here relate to 159 towns with an estimated population of 21,515 thousands. Information about Assam, Bihar, and Madhya Pradesh could not be included. The total number of towns is 201 and their population is 24,868 thousands. Thus 79% of the total number of towns representing 87% of the total population is covered. The numbers of births and deaths recorded in these towns were 18,393 and 8,719 representing birth and death

rates of 44.5 and 21.1 per thousand of population respectively. The table at the end gives the position by states.

Aruppukotai in Madras was the only town which had a high death rate of 52.0 per thousand of population and this high death rate was largely due to deaths from dysentery and diarrhoea.

(B) States (Part B).—The data here relate to 26 towns with an estimated population of 3,053 thousands. The total number of towns is 32 and their population is 3,753 thousands. Thus 81 % of the total number of towns representing 81% of the total population is covered. The numbers of births and deaths recorded in these towns were 2,171 and 1,132 representing birth and death rates of 37.0 and 19.3 per thousand of population respectively.

Rajkot in Saurashtra was the only town which had a high death rate of 76.2 per thousand of population and this high death rate was largely due to death from fevers.

States	Current w/e 30-9-50		Corresponding w/e last year		Corresponding mean during the previous 5 years period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer	74.4	16.0	32.8	15.6	44.0	26.3
Bombay	49.1	21.3	45.0	23.5	38.1	25.2
Delhi	67.5	15.8	53.0	11.3	49.2	18.6
Madras	57.8	33.0	46.8	21.9	43.7	25.3
Orissa	45.2	32.5	35.9	22.4	35.3	29.3
Punjab (I)	40.8	15.9	26.2	8.1	36.1	16.6
Uttar Pradesh	47.0	19.8	36.7	24.0	46.5	28.4
West Bengal	20.8	14.1	14.5	13.8	13.9	13.4
India (only States parts A & C)	44.5	21.1	35.5	19.5	40.6	23.1

NEW DELHI 3 (INDIA); }
The 24th October, 1950. }

S. P. JAIN,
for Registrar General, India.

Weekly Cotton Press Returns

I.—Statement of Cotton Pressed in India for the week ending the 11th August, 1950.

[Section 5 (2) of the Cotton Ginning and Pressing Factories Act, 1925 as adapted by the Adaptation of Existing India Laws Order, 1947.]

State and Division or Block 1	NUMBER OF BALES PRESSED				Districts included in the Division or Block 6
	During the week 2	During the corresponding week last year 3	Since 1st September 1949 4	During the corresponding period last year 5	
ASSAM—					
Cotton Lint	25	..	5,887	7,384	The whole State.
Cotton Waste	255	..	
BOMBAY—					
1. Gujarat	271,326	106,687	Ahmedabad, Kaira, Broach, Panch Mahals & Surat . West Khandesh, East Khandesh & Nashik. Ahmednagar, Sholapur, & Bijapur.
2. North Deccan	50,648	64,708	
3. East Deccan	479	819	47,633	48,778	
4. West Deccan & Southern Maharatta country.	1,735	2,013	94,505	76,350	Poona, Satara, Ratnagiri, Belgaum, Dharwar, & Kanara.
5. Merged territories— (a) Deccan States	(k)	(k)	(k)	(k)	Jamkhandi, Miraj (J.B.), Mudhol, Sangli, Savanur & Kolhapur.
(b) Gujarat States	(k)	(k)	(k)	(k)	Balasinar, Bansda, Baroda, Cambay, Ohhota Udepur, Gothda, Idar, Katasan, Radhanpur, Rajpipla, Sachin & Vaktapur.
TOTAL BOMBAY*—					
Cotton Lint	2,214(m)	2,832(m)	464,112(m)	296,523(m)	
Cotton Waste	1,349	1,110	61,127	60,464	
MADHYA PRADESH—					
1. Jubbulpore	Jubbulpore, Saugar & Damoh. Narsinghpur, Hoshangabad. Nimar. Nagpur, Ohanda, Wardha, Balaghat & Bhandara. Chhindwara, Betul, Mandla & Seoni. Drug, Raipur & Bilaspur. Akola, Amraoti, Buldana & Yeotmal.
2. Nerbudda	
3. Nimar	(a)	..	39,138	27,514	
4. Nagpur	(a)	..	34,229	50,858	
5. Satpura	(a)	..	402	835	
6. Chhattisgarh	
7. Berar	(a)	..	239,173	312,595	
TOTAL MADHYA PRADESH—					
Cotton Lint	312,942	391,802	
Cotton Waste	1,241	1,309	
MADRAS†—					
Cotton Lint	7,578	5,866	203,546(b)	192,848	The whole State.
Cotton Waste	671	1,029	46,428	35,810	
PUNJAB—					
1. Ambala	32,520	9,064	Hissar, Rohtak, Gurgaon, Karnal & Ambala. Hoshiarpur, Jullundur & Ludhiana. Amritsar, Gurdaspur & Kangra. Ferozepore.
2. Jullundur	12,878	5,971	
3. Amritsar	16,003	1,692	
4. Ferozepore	79,992	30,211	
TOTAL PUNJAB—					
Cotton Lint	141,363	46,938	
Cotton Waste	94	..	

*Excludes the Konkan and the Port Block (Thana, Kolaba and the Island of Bombay) where Cotton Pressed is mainly repressed Cotton or Cotton Waste. The figures for this block are as under :—

Cotton Lint	2,157	2,929	82,715	74,939
Cotton Waste	..	1,391	18,290	30 12

(k) Returns not received

(m) Subject to revision.

† For details by varieties in this State see Statement II

(a) Factories closed.

(b) Includes 656 bales not reported before.

Weekly Cotton Press Returns—*contd.*I—Statement of Cotton Pressed in India for the week ending the 11th August, 1950—*contd.*

State and Division or Block 1	NUMBER OF BALES PRESSED				Districts included in the Division or Block 6
	During the week 2	During the corresponding week last year 3	Since 1st September 1949 4	During the corresponding period last year 5	
UTTAR PRADESH—					
1. Upper Doab	3,519	276	Dehra Dun, Saharanpur, Meerut, Bulandshahr, Aligarh & Muzaffarnagar.
2. Middle Doab	447	..	Mathura, Farrukhabad, Etah, Agra, Mainpuri & Etawah.
3. Lower Doab and Bundelkhand.	Kanpur, Fatehpur, Allahabad, Jhansi, Jalaun, Hamirpur & Banda.
4. Rohilkhand	Hardoi, Shahjahanpur, Bareilly, Moradabad, Muzaffarnagar, Bijnor, Pilibhit, Naini Tal, Almora, & Dehra Dun.
5. Rest of the State	Mirzapur, Banaras, Jaunpur, Ghazipur, Azamgarh, Ballia, Gorakhpur, Basti, Gonda, Bahraich, Kheri, Sitapur, Unao, Lucknow, Bara Banki, Rai Bareilly, Sultanpur, Fyzabad & Partabgarh.
TOTAL UTTAR PRADESH—					
Cotton Lint	3,966	276	
Cotton Waste	291	477	13,012	10,927(c)	
WEST BENGAL—					
Cotton Lint	81	27	5,057	4,209	The whole State.
Cotton Waste	51	61	5,131	3,125	
AJMER—					
Cotton Lint	24,824	22,555	The whole State.
Cotton Waste	4,377	3,234	
BHOPAL—					
Cotton Lint	(a)	..	1,589	893	The whole State.
Cotton Waste	
KUTCH—					
Cotton Lint	1,644	1,212	The whole State.
Cotton Waste	
MADHYA BHARAT —					
Cotton Lint	(k)	..	(k)	42,984	The whole State.
Cotton Waste	
PUNJAB UNION—					
Cotton Lint	142,131	52,331	The whole Union.
Cotton Waste	
RAJASTHAN*—					
Cotton Lint	(k)	..	74,115(m)	67,736	The whole State.
Cotton Waste	
SAURASHTRA—					
Cotton Lint	(a)	..	125,253	45,523	The whole State.
Cotton Waste	290	182	
HYDERABAD—					
Cotton Lint	584	568	193,570	227,541	The whole State.
Cotton Waste	
MYSORE—					
Cotton Lint	100	469	17,562	21,368	The whole State.
Cotton Waste	
TOTAL—INDIA					
Cotton Lint	10,582(m)	9,762(m)	1,717,561(m)	1,422,223(m)	
Cotton Waste	2,362	2,677	131,955	115,051	

NOTE : —There are no Cotton Pressing Factories in Delhi, Bihar and Orissa .

(c) Included 1,853 bales not reported before

* Figures related to former Rajasthan.

(k) Returns not received.

(m) Subject to revision.

Weekly Cotton Press Returns—concl'd.

II.—Statement of Cotton pressed in Madras for the week ending 11th August, 1950.

Variety of Cotton 1	NUMBER OF BALES PRESSED			
	During the week 2	During the corresponding week last year 3	Since 1st February 1950 4	During the corresponding period last year 5
Tinnevellies	37	1,606	12,284	17,572
Nadam, Bourbon and Uppam	818	1,733	22,416	29,111
Cambodias	15	365	17,698	20,314
Karunganni	543	410	9,974(a)	7,353
Northerns	5,855	1,674	87,918(b)	80,799
Westerns	97	360
Mungari	310	78	9,390	12,458
Cocanada
TOTAL
(a) Cotton Lint	7,578	5,303	159,717(c)	16,987
(b) Cotton Waste	671	1,029	21,231	22,864

(a) Includes 456 bales not reported before.

(b) Includes 200 bales not reported before.

(c) Includes 656 bales not reported before

DIRECTORATE OF ECONOMIC AND STATISTICS, }
NEW DELHI.

W. R. NATU,
Economic and Statistical Adviser,
Ministry of Agriculture.

